



Jofemar
VENDING

B L U E T E C





TEMPERED GLASS



TOUCH KEYBOARD



SMUDGE-PROOF STAINLESS STEEL



BLUETEC 15



BLUETEC 21



BLUETEC 31

MODELO BLUETEC	15	15/20	21	21/29	31	31/39
Selections	30	30	40	40	40	40
Complete/split channels	15	10/10	21	13/16	31	23/16
Capacity (packages)	620	592	881	835	1.193	1.147
Size (mm)	1.700 x 600x 446		1.700 x 800x 446		1.700 x 800x 596	
Weight (kg)	139,65	146,47	168	176	211,57	217,35
Estimated energy consumption	30W	30W	30W	30W	30W	30W



VANDAL-PROOF LOCK



OPTIMISED CAPACITY AND VOLUME



ENERGY-SAVING LED LIGHTING



BANKNOTE AND COIN MECHANISM PAYMENT SYSTEMS

BLUETEC

State-of-the-art technology, elegant design

The Bluetec range has been developed to guarantee an added-value service in establishments, achieving a perfect integration of maximum capacity, great number of selections and an innovative design, with a finish of stainless steel and glass, which provides an elegant and modern image. Its front panel, with a graphic touchscreen and LED lighting in the selection buttons and the product exit, provides a striking new look, at the same time it allows a simple and clear presentation of the brands. This ensures a more intuitive usage and improves, without a doubt, the purchasing experience.

FEATURES

- Vertical column loading system to speed up loading.
- Graphic display with animations, texts and designs, updatable through USB.
- Independent detection of sold out products by channel.
- Continuous performance self-testing.
- Remote age control.
- Capacitive touch keypad.

STRUCTURE

- 1.5mm-thick steel-plate cabinet treated against corrosion and rust.
- Front in smudge-proof stainless steel and tempered glass.
- Internal vandal-proof lock and three anchor points.
- Cash box with lock and optional auto-locking during extraction.
- Energy-saving LEDs lighting in the front panel, selection buttons and delivery drawer.
- Built-in casters for ease of displacing.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with five return tubes for five different coin values.

- Anti-fraud coin validator with parameter analysis, such as diameter, metal composition or magnetic property. Features anti-thread system.
- Jofemar banknote reader.
- MDB protocol.

PROGRAMMING

- General on site programming of all the machine functions.
- Optionally, it can be programmed with the EasyFlash hand terminal. Database creation and stock control and accounting.
- Telemetry programming option.
- Dynamic programming that allows grouping up keys and channels in different setups.
- DEX protocol data extraction (optional).


OPTIONS

- Electronic price display for each selection.
- Telemetry by GSM or GPRS modem using J-Suite software. Price and working mode remote programming; alerts when the product is sold out.
- Lockable keypad.

CAPACITY DIAGRAM

BLUETEC 15 • BLUETEC 15/20

Top view with channel numbering



Individual capacity per channel


43	43	43	43	26	26	44	44	44	44	44	44	44	44	44
43	21	21	21	5	5	44	44	44	44	44	44	44	44	44
	16	16	16	16	16									

Total capacity BLUETEC 15: **620**

Capacidad total BLUETEC 15/20: **592**

BLUETEC 21 • BLUETEC 21/29

Top view with channel numbering



Individual capacity per channel


43	43	43	43	43	43	26	26	44	44	44	44	44	44	44	44	44	44
43	21	21	21	21	21	5	5	44	44	44	44	44	44	44	44	44	44
	16	16	16	16	16	16	16										

Total capacity BLUETEC 21: **881**

Total capacity BLUETEC 21/29: **835**

BLUETEC 31 • BLUETEC 31/39

Top view with channel numbering




Individual capacity per channel

43	43	43	43	43	43	26	26	40	40	40	40	40	40	40	40	40	40
36	36	36	36	36	36	36	36										

Total capacity BLUETEC 31: **1.193**

Top view with channel numbering



Individual capacity per channel

43	21	21	21	21	21	5	5	40	40	40	40	40	40	40	40	40	40
	16	16	16	16	16	16	16										
36	36	36	36	36	36	36	36										

Total capacity BLUETEC 31/39: **1.147**



Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA, Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com



VE-CT152EN00 R00
11/18

