



Jofemar
VENDING

Vision^{ES Plus} FUTURE





VANDAL-PROOF LOCK



OPTIMISED CAPACITY AND VOLUME



ENERGY-SAVING LED LIGHTING



EASYFLEX DELIVERY SYSTEM



PRODUCT DELIVERY DETECTION PHOTOCELLS



BRAND EXPOSURE



PREMIUM PRODUCTS



INNOVATION AND POSITIONING



DIGITAL SIGNAGE



Vision^{ES Plus} FUTURE

Redefining experiences...

A solution designed specifically to **improve the brands' exposure** and the **shopping experience**. Optimizes the products' exposure thanks to the incorporation of a **big screen** replacing the product window

An innovative concept to **connect with your consumers and multiply your sales**. A **global solution** adapted to all its public and able to combine **the most efficient technology** with **the most luxurious and elegant style** of the market, guaranteeing a unique and **unforgettable experience**.

FEATURES

- Temperature: with or without cold group.
- Capacity for up to 8 height-adjustable trays with up to 10 channels each.
- FIFO system. Continues renewal with the freshest product.
- Correct sale detection with photocells.
- Continuous performance self-testing.
- Health timer to prevent selling out-of-date product. Programmable expiration date by selection or channel.
- Flexible setup and programming. Its channel adjustment system allows incorporating new products at any time without using tools.
- Power and thrust speed of the programmable motors for each channel from the master machine.
- Electric power supply: 230 V, 50 Hz.
- Maximum consumption: 600 w.
- Elevator.
- 42" screen and video playback system from USB
- Cooling system of the active screen integrated in the door of the machine.
- Backlit product collection drawer.
- Able to play videos stored on the USB continuously.
- Independent working of each system.

STRUCTURE

- Modular cabinet structure, treated against rust and corrosion.
- Gusset closing and three anchor points, with security lock and vandal-proof strip.
- Cabinet injected with insulating foam to guarantee efficient cooling and lower energy consumption.
- Bluetec line, finished in black metallic coating, stainless steel frames and silver motives.
- Door with double hinge for easy access to the screen for better configuration and maintenance

CREDIT MANAGEMENT

- Using the master machine (MSK, Coffeemar or payment module).

PROGRAMMING

- Video playback system (Upgradeable by USB)
- USB (Standard video).
- Using the master machine (MSK, Coffeemar or payment module).



ES PLUS FUTURE + MSK

FEATURES

- Able to control up to four satellite vending machines.
- 27" Full HD touch screen vertically oriented.
- PC computer integrated.
- Widely configurable. It can be equipped with different interchangeable fronts.
- Multi-voltage power supply (110-220 V).

CREDIT MANAGEMENT

- Jofemar coin mechanism with external recovery motor.
- Banknote reader with or without dispenser.
- Motorised card reader.
- Different bank card readers (ingenico, verifone . . .).
- Jofemar key reader.
- Barcode reader.
- GPRS or UMTS modem.
- Up to four Jofemar return hoppers.

PROGRAMMING

- Control of the dispensing machine through TOOLS.
- Centralized kiosk management from J-SUITE or in local mode with Local Backoffice.

OPTIONS

- Printer ticket for customer.
- Card and keys reader J130 and J300 Jofemar or any card reader that works in MDB protocol.
- Amplified speakers.



ES PLUS FUTURE + Coffeemar Bluetec 546

FEATURES

- Capacitive keyboard.
- Smudge-proof stainless steel finishing.
- New model of aluminum boiler.

CREDIT MANAGEMENT

- Innovative Jofemar coin mechanism with connection for both Executive and MDB protocols, five return tubes and T-15 coin validator with the most reliable fraud-prevention systems.

PROGRAMMING

- General on site programming through the machine's keyboard, EasyFlash hand terminal, PC or modem by telemetry using J-Suite.
- Data storage and stock control and accounting.

OPTIONS

- Screen on the upper part for videos and nutritional facts.
- Card and banknote payment systems.



ES PLUS FUTURE + Payment module

FEATURES

- Able to control up to four satellite vending machines.
- Continuous performance self-testing.
- Health timer to prevent selling out-of-date products. Programmable expiration date by selection or channel.
- Adjustable motor torque for each selection.
- Power mains: 230 V, 50 Hz.

CREDIT MANAGEMENT

- MDB or Executive protocol.
- Innovative Jofemar coin mechanism with five return tubes for up to five different coin values and the most reliable fraud-prevention systems.

PROGRAMMING

- General on site programming with the machine's keyboard and the LCD screen messages.
- Compatible with the Jofemar EasyFlash tooling for stock control and accounting hand terminal.
- Compatible with the latest telemetry systems for the end-to-end remote machine management.
- RS232 port with accounting data output.

OPTIONS

- Jofemar banknote reader.
- Jofemar J130 card/key reader or any card reader that uses the MDB protocol.
- Control of up to four tubes to return manual loading excess.
- Vandal-proof coin entry.
- Modem installation and J-SUITE communication interface.
- Online operation with real-time control of users and sales.
- Up to four slave vending machine modules for higher capacity and number of selections.
- Receipt printer.

	VISION ES PLUS FUTURE
Maximum capacity	8 trays of up to 10 channels
Elevator	YES
Size (mm)	1.830 x 800 x 1010 mm
Weight	341 kg
Energy supply	230 V, 50 Hz*
Cooling unit	with cooling unit / without cooling unit

*Check for other voltages.





Technological
Innovation

Reliability

100% Jofemar
Technology

Jofemar

Ctra. Marcilla km 2
31350 PERALTA, Navarra SPAIN
Tel. +34 948 75 12 12
Fax +34 948 75 04 20

www.jofemarmvending.com



VE-CT086EN11 Vision Future R00
11/18

